## WEST Search History for Application 10597857

Creation Date: 2008111709:02

	Query
(374/1,001,4,5,6,7,43,44	4,45,57,183,185,164,135,147,30;338/28,22R,25;702/51,35,40;252/960,964)![CCLS]
	4,45,57,183,185,164,135,147,30;338/28,22R,25;702/51,35,40;252/960,964)![CCLS]) and (h \$4 or heat\$4 near temperature near resist\$4)
	4,45,57,183,185,164,135,147,30;338/28,22R,25;702/51,35,40;252/960,964)![CCLS] and (her or heat\$4 near temperature near resist\$4) ) and (leak\$4 or flaw or corrosion or deposit deposit ect or void)
(374/1,001,4,5,6,7,43,44	1,45,57,183,185,164,135,147,30;338/28,22R,25;702/51,35,40;252/960,964;73/592,204.17,204
	4.45,57,183,185,164,135,147,30;338/28,22R,25;702/51,35,40;252/960,964;73/592,204.17,20 iistor or heat\$4 thermal resist\$4 or heat\$4 near temperature near resist\$4)
and (heat\$4 near thermi	4.45,57,183,185,164,135,147,30;338/28,22R,25;702/51,35,40;252/960,964;73/592,204.17,20 stor or heat\$4 thermal resist\$4 or heat\$4 near temperature near resist\$4) ) and (leak\$4 or flaw ild near up or wear or failure or defect or void)
and (heat\$4 near thermi	4,45,57,183,185,164,135,147,30;338/28,22R,25;702/51,35,40;252/960,964;73/592,204.17,20 stor or heat\$4 thermal resist\$4 or heat\$4 near temperature near resist\$4) and (leak\$4 or flaw oup or wear or failure or defect or void) ) and (reference or calibrat\$3)
374/\$.ccls.	

(374/\$.ccls.) and (heat\$4 near thermistor)
(374/\$.ccls. and (heat\$4 near thermistor) ) and (leak near detect\$3)
219/\$.ccls.
(219/\$.ccls. ) and (heat\$4 near thermistor)
(219/\$.ccls. and (heat\$4 near thermistor) ) and (leak\$4 near detect\$3)
(219/\$,ccls. and (heat\$4 near thermistor) ) and (reference near voltage)

(219/\$.ccls, and (heat\$4 near thermistor) and (reference near voltage) ) and (leak\$4 or flaw or corrosion or dup or wear or failure or defect or void)	eposit de

Creation Date: 2008111709:02